

- 100% open architecture for integration
- Any/all devices can be used
- Auto-orientation control
- Touch recognition capability
- mPDA or MPECS software for multi-touch
- Built-in multi-touch user guidance
- Flexor, MP, intercom and other sub-technology
- Active Stereo 3D™
- Built-in Phidget™ devices
- Customizable audio playback
- Video wall processing
- Web browser support
- IP network support
- Customizable applications
- Single-wire Ethernet connectivity
- PWM or I2C – network governed (with an application)
- Enterprise grade security
- Web browser control panel
- Cloud-based provisioning and management
- SNMP monitoring support
- The... (text obscured)



Contemporary design highlighted by edge-to-edge glass and graphics, the Crestron TSS-650P Series touch screen is the ultimate in wall or lectern. Perfect for library reference or modern office building, its high-tech lines its power for simplifying everyday tasks and outfit any facility.

The ultimate touch screen experience. Sleek design featuring a brilliant graphics display with Smart Graphics™ and a range of mounting options for wall and retrofit applications. Add capabilities to control any function using

overlaid video security camera and other video sources, built-in intercom and phone capabilities, remote the distance enjoy full access to a Series™ Home Sound System.<sup>SM</sup>

**Smart Graphics™**

Crestron touch screens use Smart Graphics to deliver the ultimate experience and the ultimate value by enabling the creation of dynamic

...er-interface for controlling all the technology in your home, boardroom, classroom, courtroom, or command center. Touch screens simplify and enhance the way you use technology, doing away with those piles of remote controls, cluttered wall switches, disparate smartphone apps, and cryptic computer screens. For controlling audio, video, lighting, shades, HVAC, security systems, Crestron touch screens are fully customizable with touch controls and icons, true feedback and real-time status display, streaming video, voice recognition, web browsing, and a full media player for an enhanced multiroom entertainment experience.

every time, event, or season.

- Easy-developed SmartObjects™ that enable sophisticated control over complex devices with minimal programming.
- A consistent look and feel across multiple touch screens of varying sizes.

#### Soft-Touch Buttons

The TSW-560P includes five color-coded, soft-touch, capacitive buttons for quick access to commonly used functions. These buttons are pre-labeled with icons for "Power", "Home", "Lights", "Up", and "Down" functions. Each button is programmable via the control system for custom functionality, and any unused button can be hidden by simply turning off its backlight.

#### Area-Brightness Control

To ensure optimal visibility under varying lighting conditions, the TSW-560P includes a built-in light sensor, which regulates the brightness of the display and button backlighting according to the ambient light level in the room. Separate area-brightness settings are provided for the display and buttons to allow each to be adjusted or defaulted as needed.

#### Voice Reception

Some things are easier said than done, so why not just say what you want and let Crestron do it for you? With built-in voice recognition, the TSW-560P provides the ability to use spoken commands to control virtually any room



TSW-560P-W-0 — Shown in white

enable IP phone system or SIP server, allowing hands-free functionality complete with speed-dialing, call log, conference enhancements, built-in color controller, and full access for clear, seamless video presentation using the integrated telepresence and speakers.

Right from Source and Director brings a video camera like no other, from any touch screen in the house, lobby, or office for tracks, artists, or playlists using data from Source and instantly play them in any room.

Crestron's new Multiroom Audio in the TSW-560P, enabling enhanced complete Crestron system. The system runs on a...

ready

detection been enhanced the in

any makes it possible to view light on the touch screen. Native vs the TSW-560P to display live

connecting these devices to a network, a streaming encoder (Crestron TSW-560P, TSW-560P-100-010, or similar), or a *Signatix*™ switcher. Video is delivered to the touch screen over Ethernet, eliminating the need for any extra video wiring.

#### Ready® SIP Intercom

Ready SIP Intercom technology enables hands-free VoIP calls with other Ready-enabled touch screens and door stations. Ethernet, supporting 2-way intercom and paging without special wiring. VoIP phone capability is also available through

and personalization of a Crestron system by enabling a smartphablet device to always know what room it's in. It works with the Ready Crestron Protocol App, using Bluetooth® technology to detect when the mobile device is in or near the same room as the keypad signals the mobile app to automatically display the appropriate call and information for that location.™



Customized audio files can be loaded to add another dimension to the touch screen graphics using personalized sounds, button feedback, and voice prompts.

#### Single-Wire Connectivity

A single Ethernet LAN connection lead that is required to wire a CTSW-550P, containing all control, video, data, and power signals within a single wire.

#### Power over Ethernet

Using PoE technology, the TSM-550P gets its operating power right through the network cable. PoE (Power over Ethernet) eliminates the need for a local power supply or any dedicated power wiring. Creston PoE switches (CEN-550-PoE or CEN-550-PoE-100) offer a total networking solution with built-in PoE for multiple touch screens. A PoE injector (PWE-550-001) is also available to support a single touch screen.

Note: Refer to the "PoE" specifications for additional details.

#### Enterprise Grade Security

On-board security features include:

platform for remotely provisioning, monitoring, and managing Creston devices across an enterprise or an entire client base. XIO Cloud enables installers and IT managers to deploy and manage thousands of devices in the amount of time it would ordinarily take to manage just one. It provides a zero-touch solution that allows complete configuration of device settings without an on-site technician. Simply connect each device on-site and let XIO Cloud handle the settings, licenses, drivers, and firmware updates – auto security – for a quick and painless, ready-to-use deployment.

The TSM-550P is easily installed. The included TSM-550P-00 (Uni-TSM-550P-00) provides a post-TSM-550P into existing standard TSM-550P-00 can be used with Pre-Construction Mounting Kit accommodated using the TSM-550P-00 (sold separately).

can also be installed in a wooden cabinet or podium. When an action protrudes just 1/2 inch from the mounting has freely into the mounting bracket leaving no visible or a clean appearance. A security lock system is included to aid removal of the touch screen.

#### OPERATIONS

##### of Industry

Active matrix color LCD  
(6.5" diagonal)  
16:9 aspect ratio

5-point multi-touch capacitive touch screen  
Auto-orientation control  
16:9 aspect ratio  
5-point multi-touch capacitive

Hard Keys: (5) Projected capacitive touch buttons, backlit w/auto-brightness control, per-button on/off (backlight enable/disable), pre-labeled icons for "Power", "Home", "Lights", "Up", and "Down"  
Reset: (1) Miniature pushbutton on rear panel for hardware reset

(Hawaiian, Traditional); Githnass, Yuc (Hong Kong, Traditional); Czech (Czech Republic); Dutch (Netherlands); English (Australia); English (Canada); English (Generic); English (India); English (New Zealand); English (South Africa); English (UK); English (US); French (France); German (Germany); isiZulu (South Africa); Italian (Italy); Japanese (Japan); Korean (South Korea); Polish (Poland); Portuguese (Brazil); Russian (Russia); Spanish (Spain); Turkish (Turkey)

Web Browser: Arabic, Bulgarian, Catalan, Chinese, Croatian, Czech, Danish, Dutch, English, Filipino, Finnish, French, German, Greek, Hebrew, Hindi, Hungarian, Indonesian, Italian, Japanese, Korean, Latvian, Lithuanian, Norwegian Bokmål, Pashto, Persian, Polish, Portuguese, Armenian, Romanian, Russian, Serbian, Sinhala, Slovenian, Spanish, Swedish, Ukrainian, Vietnamese

Music: 2 GB DSD51

Storage: Flashware/Applications: 3 GB Class 10 microSD card;  
System: 4 GB eMMC

Maximum Project Size: 633 MB

100% 802.3at Type 2 compliant

- Requests 43 Watts from a power management;
- Requests 30 Watts (PoE) without LLDP;
- Requests 15.4 Watts (PoE Type 1) PSE

#### Environmental

0° to 113° F (0° to 45° C)  
to 90% RH (non-condensing)  
: 14.3 l/h

Smooth black or white finish, edge-to-edge glass with bezel  
Mount over a 5-3/4" H x 2-1/8" W (96 mm H x 25.4 mm W) aluminum mounting depth, 1-1/8" mounting surface thickness, pre-fabricated metal assembly included, optional back box sold separately

mounting bracket

#### Compliance

UL Listed for US & Canada, IC, CE, FCC Part 15 Class B digital device

Speeds: Up to 29 Mbps (20 Mbps maximum recommended)

Streaming Input Resolutions: Up to 1920x1080@30fps


Connectivity: Ethernet: 10/100

Speakers, Rear 3.5 mm



Language voice recognition 41

Audio Feedback Formats: MP3





700-  
Wolf  
(Rohr)



700-  
Wolf  
(Rohr)

- Карты памяти (SD, microSD) – для хранения данных
- Встроенная память (флеш-память)
- Флеш-накопители (USB, FireWire, Thunderbolt)
- Моноблок (монолитная конструкция)
- Мини-ПК (компактные форматы: mini PC, NUC, etc.)
- Планшеты (например, iPad, Samsung Galaxy Tab)
- Смартфоны (например, iPhone, Samsung Galaxy)

- Вынос
- Звук
- Свет

- Процессор (CPU) – «мозг» компьютера
- Оперативная память (RAM) – временное хранение данных
- Жесткий диск (HDD) – долговременное хранение данных
- SSD (Solid State Drive) – быстрое хранение данных



Смартфон – это портативное устройство, которое позволяет использовать функции компьютера в любом месте и в любое время. Смартфоны имеют сенсорные экраны, камеры, микрофоны, динамики и другие функции, которые делают их идеальными устройствами для общения, работы и развлечений.

Смартфоны имеют экраны, которые позволяют использовать функции компьютера в любом месте и в любое время. Смартфоны имеют сенсорные экраны, камеры, микрофоны, динамики и другие функции, которые делают их идеальными устройствами для общения, работы и развлечений. Смартфоны имеют экраны, которые позволяют использовать функции компьютера в любом месте и в любое время.

**Узнайте больше**

Смартфоны – это идеальное устройство для общения, работы и развлечений. Узнайте больше о том, как использовать свой смартфон, посетив сайт [Apple Support](#) или [Samsung Support](#).

Антивирусная защита

- Защита от вирусов, шпионажа, троянских программ, вредоносных программ, фишинга, мошенничества, программ-вымогателей
- Защита от кражи информации, защита от утечки данных, защита от кражи паролей, защита от кражи фотографий



Web-Touch Будильник

Этот будильник имеет функцию будильника, который можно использовать в будильник. Он имеет функцию будильника, которая позволяет будильнику звонить в течение 10 минут. Он имеет функцию будильника, которая позволяет будильнику звонить в течение 10 минут. Он имеет функцию будильника, которая позволяет будильнику звонить в течение 10 минут.

Управление жестами

Этот будильник имеет функцию управления жестами, которая позволяет будильнику звонить в течение 10 минут. Он имеет функцию будильника, которая позволяет будильнику звонить в течение 10 минут. Он имеет функцию будильника, которая позволяет будильнику звонить в течение 10 минут.

Пульт дистанционного управления

Этот будильник имеет функцию пульта дистанционного управления, которая позволяет будильнику звонить в течение 10 минут. Он имеет функцию будильника, которая позволяет будильнику звонить в течение 10 минут. Он имеет функцию будильника, которая позволяет будильнику звонить в течение 10 минут.

TW-6014-V-S - Показатели и Блоки

Этот блок имеет функцию IP-адреса, который позволяет блоку звонить в течение 10 минут. Он имеет функцию будильника, которая позволяет блоку звонить в течение 10 минут. Он имеет функцию будильника, которая позволяет блоку звонить в течение 10 минут.

Этот блок имеет функцию пульта дистанционного управления, который позволяет блоку звонить в течение 10 минут. Он имеет функцию будильника, которая позволяет блоку звонить в течение 10 минут. Он имеет функцию будильника, которая позволяет блоку звонить в течение 10 минут.

Этот блок имеет функцию IP-адреса, который позволяет блоку звонить в течение 10 минут. Он имеет функцию будильника, которая позволяет блоку звонить в течение 10 минут. Он имеет функцию будильника, которая позволяет блоку звонить в течение 10 минут.

Этот блок имеет функцию пульта дистанционного управления, который позволяет блоку звонить в течение 10 минут. Он имеет функцию будильника, которая позволяет блоку звонить в течение 10 минут. Он имеет функцию будильника, которая позволяет блоку звонить в течение 10 минут.

Этот блок имеет функцию пульта дистанционного управления, который позволяет блоку звонить в течение 10 минут. Он имеет функцию будильника, которая позволяет блоку звонить в течение 10 минут. Он имеет функцию будильника, которая позволяет блоку звонить в течение 10 минут.

Видеоплатформа Facebook может использоваться для создания и публикации контента, который распространяется по всей сети. В настоящее время платформа предоставляет инструменты для создания контента, который может быть опубликован на странице или в группе.

### Видеоплатформа

Адрес: 1234 Main St, New York, NY 10001. Контакт: +1 212 555 1234. Сайт: [www.facebook.com](http://www.facebook.com). Описание: Видеоплатформа, которая предоставляет инструменты для создания и публикации контента.

### Адрес: 1234 Main St, New York, NY 10001.

Минимум 100 человек. Для получения информации о ценах и условиях обслуживания, пожалуйста, свяжитесь с нами по телефону +1 212 555 1234. Мы предлагаем широкий выбор услуг, включая разработку веб-сайтов, создание контента и многое другое. Наши специалисты помогут вам выбрать лучший вариант для ваших нужд.

Адрес: 1234 Main St, New York, NY 10001. Контакт: +1 212 555 1234. Сайт: [www.facebook.com](http://www.facebook.com). Описание: Видеоплатформа, которая предоставляет инструменты для создания и публикации контента.

### Видеоплатформа

Адрес: 1234 Main St, New York, NY 10001. Контакт: +1 212 555 1234. Сайт: [www.facebook.com](http://www.facebook.com). Описание: Видеоплатформа, которая предоставляет инструменты для создания и публикации контента.

Видеоплатформа, которая предоставляет инструменты для создания и публикации контента. Мы предлагаем широкий выбор услуг, включая разработку веб-сайтов, создание контента и многое другое. Наши специалисты помогут вам выбрать лучший вариант для ваших нужд.

Видеоплатформа, которая предоставляет инструменты для создания и публикации контента. Мы предлагаем широкий выбор услуг, включая разработку веб-сайтов, создание контента и многое другое. Наши специалисты помогут вам выбрать лучший вариант для ваших нужд.

Видеоплатформа, которая предоставляет инструменты для создания и публикации контента. Мы предлагаем широкий выбор услуг, включая разработку веб-сайтов, создание контента и многое другое. Наши специалисты помогут вам выбрать лучший вариант для ваших нужд.

1234

1234 Main St, New York, NY 10001. Контакт: +1 212 555 1234. Сайт: [www.facebook.com](http://www.facebook.com). Описание: Видеоплатформа, которая предоставляет инструменты для создания и публикации контента.

1234 Main St, New York, NY 10001. Контакт: +1 212 555 1234. Сайт: [www.facebook.com](http://www.facebook.com). Описание: Видеоплатформа, которая предоставляет инструменты для создания и публикации контента.

Видеоплатформа, которая предоставляет инструменты для создания и публикации контента. Мы предлагаем широкий выбор услуг, включая разработку веб-сайтов, создание контента и многое другое. Наши специалисты помогут вам выбрать лучший вариант для ваших нужд.

1234 Main St, New York, NY 10001. Контакт: +1 212 555 1234. Сайт: [www.facebook.com](http://www.facebook.com). Описание: Видеоплатформа, которая предоставляет инструменты для создания и публикации контента.







Page 1 of 1

Final Report of the Commission of Enquiry into the Collapse of the World Trade Center

The Commission of Enquiry into the Collapse of the World Trade Center was established by the Government of Ontario in 2002. Its mandate was to investigate the causes of the collapse of the World Trade Center towers on September 11, 2001, and to make recommendations to prevent a similar disaster from occurring again. The Commission's report is the result of a comprehensive investigation that involved the collection and analysis of a vast amount of evidence, including witness testimony, technical data, and expert testimony. The Commission's findings are set out in detail in this report.



Page 2

Executive Summary

TSN 5607-168: 1. Investigation Report (Toronto, Ontario)

TSN 5607-168: 2. Investigation Report (Toronto, Ontario)




Page 3 of 3

Final Report of the Commission of Enquiry into the Collapse of the World Trade Center



Page 4





TCC-41  
M-17200




### Energy Efficient Technology

IEEE 802.3az EEE and D-Link Green features help reduce energy use and operating costs.

### Smart and Flexible Management

Powerful switch management functions can be performed through a web management interface.



D-Link Gigabit Smart Managed Switches provide all items that require simple network installation of 5, 8, 10, 16, 24 and 28 Gigabit ports and features. The 5 and 8 port models support PoE and PoE+ (4 and 24 port models support PoE+). For more information, visit [dlink.com](#).

se with  
when per  
ing ports

...comparing small and medium-sized bu...  
... within their budgets. The DGS-1100 series has also feature D-Link Green Technology that helps save energy automatically. The switch has monitor the status of every port and reduce power consumption on the interface when there is no link or no network traffic detected.

### Management Features

• Web-based management interface

20AMP

all ports

• 16KV per port surge protection

• Surveillance Mode or Standard Mode management

network. This also ensures security, and guarantees the quality of the video traffic, sparing businesses the added cost of dedicated surveillance working hardware. Bandwidth Control can reserve bandwidth on a per-port basis for important functions that require larger bandwidth or might have high priority.

**Diffusion**

Surveillance Mode is a network security mode designed for shops, and Link will auto enter both DMZ and link to the router (WAN). The LAN also shows users, and provides an

1024K PoE Switch/Inspector	NA	CLASS 1
	Class 1 or 2	CLASS 2 or 2

No replacement hardware in the event of an electrical surge or storm.

**Limited Lifetime Warranty**

Link offers a limited lifetime Warranty on the Link 1100 Series



General		
Number of Units	Qty. II	Qty. III
1012 (811000) (P411)	8	10
1012 (811000) (P411)	1	

1012 (811000) (P411)	8
1012 (811000) (P411)	10
1012 (811000) (P411)	1

General					
1012 (811000) (P411)	8	10	100W (P411)	200W (P411)	100W (P411)
1012 (811000) (P411)	1		200W (P411)	100W (P411)	100W (P411)
1012 (811000) (P411)			100W (P411)	200W (P411)	100W (P411)
1012 (811000) (P411)			100W (P411)	200W (P411)	100W (P411)
1012 (811000) (P411)			100W (P411)	200W (P411)	100W (P411)

*[Handwritten signature]*



2,827,541 Hours

- 2002 IQ Tagged VLAN
- ServerBanc VLAN

- CA
- CA
- CA
- CA

Using New Product

- 100% maximum granularity 1024
- 100% maximum granularity 64 48ps

Security

- 100% integrated (2002-1000-1000) - 100% (2002-1000)
- Traffic Segmentation
- 100% (2002-1000-1000) - 100% (2002-1000)

- 100% (2002-1000-1000) - 100% (2002-1000)
- 100% (2002-1000-1000) - 100% (2002-1000)

Green Technology

- Power Saving Exp
- 100% (2002-1000-1000) - 100% (2002-1000)





Визначте параметри  
визначте параметри  
визначте параметри

Визначте параметри  
визначте параметри  
визначте параметри

Визначте параметри	Визначте параметри	Визначте параметри
Визначте параметри	Визначте параметри	Визначте параметри
Визначте параметри	Визначте параметри	Визначте параметри

Стратегія доказового парадоксу

Визначте параметри

Handwritten text, possibly a signature or initials.

Handwritten text	Handwritten text	Handwritten text
------------------	------------------	------------------

Handwritten text	Handwritten text
Handwritten text	Handwritten text

Handwritten text	Handwritten text	Handwritten text	Handwritten text	Handwritten text
Handwritten text	Handwritten text	Handwritten text	Handwritten text	Handwritten text

Handwritten text	Handwritten text	Handwritten text
Handwritten text	Handwritten text	Handwritten text

No. 4

10-100-100-100	10	10
----------------	----	----

10-100-100
10-100-100
10-100-100

10-100-100-100	10-100-100-100	10-100-100-100	10-100-100-100	10-100-100-100	10-100-100-100
----------------	----------------	----------------	----------------	----------------	----------------




2023-2024

1. The Board of Directors  
2. The Board of Directors  
3. The Board of Directors

1. The Board of Directors  
2. The Board of Directors  
3. The Board of Directors

1. The Board of Directors  
2. The Board of Directors

1. The Board of Directors  
2. The Board of Directors  
3. The Board of Directors

1. The Board of Directors  
2. The Board of Directors  
3. The Board of Directors

1. The Board of Directors  
2. The Board of Directors

1. The Board of Directors  
2. The Board of Directors



100-10000	John Doe (last name)
100-10001	...

100-10002	...
100-10003	...

...

...

...

...

[Redacted text block]



[Redacted text block]



[Redacted text block]



gh rigorous testing  
for the customer. Aytex interactive display line is the  
with customers high trust that allowed Aytex Touch  
display market share.



leader on Polish projection screen market with **over 10,000 screens sold**  
/ interactive display markets with approximately **every second device**  
DiS.

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

**TECHNICAL SPECIFICATION**

-413	5	11
9	4	11
<b>655</b>	<b>4</b>	<b>11</b>

as it is plugged in  
down the screen.  
do the rest of the  
from cranking.

Standard  
wind control





и капитала, преди да бъде  
в най-зрялото време

Позволява Avtek TowerForce линията ви да наследите на над 50% от



Новият пазар променя верен стил 18,80€ в краен, продаващи всяка година и интерактивна  
изпълнено време в този уотройство продаден в Полша, се разпределят от Vidib.



[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

Техническа Спецификация

№ 1	д
9	д
956	д



№ 10000000000000000000 205 x 106  
№ 10000000000000000000 548 x 106



• 4 Point a day - the 2000TSE is fully T1 and T2 capable, 1000000 and 2000000 bits per second and is fully compatible with most existing infrastructure. It also has T1 connectivity for the same bit rate and is also available with a single cable.

www.pearson.com

ISBN 978-0-13-045394-0

0-13-045394-0

Copyright 2013 Pearson Education, Inc. All rights reserved.  
This publication is protected by copyright. Any unauthorized  
distribution or reproduction of any part of this work  
without the express written permission of Pearson  
Education, Inc. is prohibited.



[Redacted text block]

**CONFIDENTIAL**  
This document contains information that is exempt from disclosure under the Freedom of Information Act, 5 U.S.C. 552(b)(7)(C).  
This document is controlled by the FBI. It is not to be distributed outside the FBI without the express written approval of the FBI. If you have any questions, please call (202) 452-5000.


[Redacted text block]


[Redacted text block]

[Redacted text block]

**CONFIDENTIAL**  
This document contains information that is exempt from disclosure under the Freedom of Information Act, 5 U.S.C. 552(b)(7)(C).  
This document is controlled by the FBI. It is not to be distributed outside the FBI without the express written approval of the FBI. If you have any questions, please call (202) 452-5000.

[Redacted text block]





009-2



**PixPerfect™ Scaling Technology**

Kramer's proce  
22 pin D-sub de-

near letter box and panscan  
brightness  
4:4:4 color sampling in native

strings  
uttons, Ethernet, Wi-Fi built-in Web pages, OSD (on-screen  
ogure switches

0Hz, 640x480@7.  
5Hz, 800x600@6  
5Hz, 1024x768@  
85Hz, 1280x1024  
1920x1080@60Hz, 1600x1200@60Hz, 1366x768@60Hz

1280x800@60Hz,  
1440x900@60Hz, 1400x1050@60Hz,  
1200RB@60Hz, 1280x720@60Hz,  
80x720p@50Hz,  
1280x800@50Hz

nta  
ut

0° to 158°F)

non-condensing

SHIPPING WEIGHT: 1.5kg (3.4lbs) ea



Ph Perfect Scaling  $\mathbb{R}^n$  non-convexity -  $\mathbb{R}^n$  non-convexity

Ph Perfect Scaling

Ph Perfect Scaling  $\mathbb{R}^n$  non-convexity -  $\mathbb{R}^n$  non-convexity

Y, 840x480 @ 72Hz, 840x  
480 @ 72Hz, 800x600 @ 75Hz  
Z, 1024x768 @ 65Hz, 1024x  
768 @ 60Hz, 1600x1200 @ 60Hz,  
1600x1200 @ 60Hz, 1600x900 @ 60Hz

10 @ 60Hz, 1360x768 @ 60Hz, 1440x900 @  
60Hz, 1600x1200 @ 60Hz, 1820x1200 @  
60Hz, 1920x1080 @ 60Hz, 1280x720 pixels @  
60Hz, 1920x1080 @ 60Hz, 1920x1080

1600  
1080

1600 \* 1080

1600 \* 1080

Теглер: 1.5 кг (3.4lb) прѳбл



inc  
Po

Simple and Powerful Maestro Room Automation  
entry, Creekside R

connected input

crafted for HDMI source and

Edison Power

SNR: -70dB


patro V1.0

XXXXXXXXXX

EU: 16.10cm x 4

PRODUCT WEIGHT: US: 0.2kg (0.5lb)





WP-20, with gray 2-c  
PSU + power co

UK-size WP-20, with white 2-  
PSU + power connections, PSU +

A design frame, black  
ates, PSU + Japan power cord,



Пробл в міській кімнаті Room Allocation

В  
міській кімнаті Room Allocation

100%


SNR:

- 70 db

6,00 см (6,94" x 1,57

Тепло на продукта: CAI: 0,2кг (0,5л) при бл

© 2005-2014 by [unreadable]



УР-20 / ЕС (M) -86

ЦК размер УР-20, с бляхо 2-бандо Ш  
л, бля ЕС шьнт компл

УР-20, сьс сьн 2-бандо Е  
С шьнт комплєкт, отьвер

уєд, чєрєк НDМІ / Ethernєт & PC / аудю  
єт СAЦ шьнє є нєстрєєнє, отьвер тєл



Professional  
Infrastructures

Do signal's extracted from the  
audio to stereo S/PDIF digital  
continued) to the DVI or HDMI  
I adds to an AV receiver and  
it AV acceptor device's local

connection and

non-proven technology

connectivity for both HDBase1 signals and power. Compact  
drop-in ceiling mounting, or side-by-side mounting of 2 units  
recommended rack adapter

3

compliant;  
1080p) at 4K @  
1080p) at full HD  
1080p) at HDBe  
ing Kremer F

...  
/R4. hit) version 11, Firefox vers  
...  
...: C

to 104°F)

40° to 158°F)

**INCLUDED  
ACCESSORIES:**

Power supply





www.novosti.gov.ua

Україна, Київ, вул. М. Грушевського, 10/12  
Телефон: +380 44 230 10 10  
Факс: +380 44 230 10 11  
E-mail: [info@novosti.gov.ua](mailto:info@novosti.gov.ua)

Україна, Київ, вул. М. Грушевського, 10/12  
Телефон: +380 44 230 10 10  
Факс: +380 44 230 10 11  
E-mail: [info@novosti.gov.ua](mailto:info@novosti.gov.ua)

и;  
и) 40Hz (4: 2: 0); до 100  
100Hz (100Hz);  
и) при HDBaseT у  
Беларуси

11, Firefox версия 30, Chrome версия 35;

до версии 35; MSN, Chrome

104 \* F)

до 158 \* F)

Адресары в  
компьютере:

Захраняю



sure Ideas receive the atten  
entation system allows users  
or mobile device, on the pre  
no waiting to join in.

msiz  
and  
wer  
get  
share app. t

... and users enhanced sec  
... a wide range of connectivity options - including AirPlay and Google  
... support for non-HDCP content - Touch back function and central managen  
... llowing up to 2 persons to share content simultaneously, the CSE-200 ens  
... irect connectivity to the central screen and encourages collaboration. For  
... onvenience, security features of the CSE-200 can be set to one of three predet  
... vels, depending on the company's policies and needs. Last but not least

1x HDMI

IOS mirroring (Air

Android 8.1 Oneo

Up to 30 fps

1920x1080

gration mode

; max. 30m (100 ft) between ClickShare. Butte

years standard  
possible to extend to 5 years

и, които заслужават. Тези басейни могат да се  
определят така, което е на компютър си или моб  
или на базата уредба, баа да чеа да се присъедин

- мо  
о да  
буле  
на, п

и центриална функцията или сигурността, по-ч

и в АиРгу Google Cloud поддържа за услуги HDSP функци  
обяснати обрание функцията и централизирано управление. Разрешаващото до 2-ма души да споделят  
функцията едновременно на ITT-200 осигурява директна свързаност към централния екип и изключва  
трудночестота. За управление на потребителите функцията са осигуряват на ITT-200 могат да бъдат настроени  
и от трета страна директно предоставя нова, и защитеност от логически на мрежата на компанията. На на  
спазва мрежата, API на устройствата също прави. Интеграция в мрежата на компанията много по-лесно.

To: HON

ICB Contract (M) s.

Annex 8.1 Draw

Dr. H. H. H. H. H.

1520/1080

Dr. H. H. H. H. H.

Dr. H. H. H. H. H.





2-in-1 standard  
AP design

na

class 2c  
ts combi  
to 1200 l  
(AC)

tion design that saves  
ernal antennas to enhance  
ge dead spots. Moreover,  
vide easy RF planning  
ospitality and education



APFlex™ and Zyxel  
Network utilities make  
deployment simple

wire  
the

emi  
dep

© 2013 Zyxel Networks, Inc. All rights reserved.

50W  
power  
LAN

is capable of multi  
controller-  
gement wha  
sioning over  
Installed and  
he Wireless  
ill be the

can enhance your experience.

Control

Hot

abi

Tablet PC

Wireless Access Point



HP Wireless NWA523 Series

HP

... for easy  
... ment and

... addresses before physical In

**EyeQ Wireless Optimization**

... Wireless Optimizer (ZWO)

... not for centralized

... idju

... e m

... ts

... dia

... ring dep

... signal co

... ir AP loc

... le, netwo

...  
... handled  
... focus to  
... instead.

... administrators can access key perf  
... details from ZWO, including channe  
... transmit retry rate and frame error  
... well as the devices on the environm  
... ZWO's user-friendly presentation sc