



products


Material	Weight	Length	Width	Area	Volume
8000	25.000 kg	10 m	0.5 m	5 m ²	0.5 m ³
8001	25.000 kg	10 m	0.5 m	5 m ²	0.5 m ³
8002	25.000 kg	10 m	0.5 m	5 m ²	0.5 m ³
8003	25.000 kg	10 m	0.5 m	5 m ²	0.5 m ³
8004	25.000 kg	10 m	0.5 m	5 m ²	0.5 m ³
8005	25.000 kg	10 m	0.5 m	5 m ²	0.5 m ³
8006	25.000 kg	10 m	0.5 m	5 m ²	0.5 m ³
8007	25.000 kg	10 m	0.5 m	5 m ²	0.5 m ³
8008	25.000 kg	10 m	0.5 m	5 m ²	0.5 m ³
8009	25.000 kg	10 m	0.5 m	5 m ²	0.5 m ³
8010	25.000 kg	10 m	0.5 m	5 m ²	0.5 m ³



8000 NAVONA GREY
10m x 0.5m



8001 NAVONA GREY
10m x 0.5m



8002 NAVONA GREY
10m x 0.5m



8003 NAVONA GREY
10m x 0.5m

Material	Weight	Length	Width	Area	Volume
8011	25.000 kg	10 m	0.5 m	5 m ²	0.5 m ³
8012	25.000 kg	10 m	0.5 m	5 m ²	0.5 m ³
8013	25.000 kg	10 m	0.5 m	5 m ²	0.5 m ³
8014	25.000 kg	10 m	0.5 m	5 m ²	0.5 m ³
8015	25.000 kg	10 m	0.5 m	5 m ²	0.5 m ³
8016	25.000 kg	10 m	0.5 m	5 m ²	0.5 m ³
8017	25.000 kg	10 m	0.5 m	5 m ²	0.5 m ³
8018	25.000 kg	10 m	0.5 m	5 m ²	0.5 m ³
8019	25.000 kg	10 m	0.5 m	5 m ²	0.5 m ³
8020	25.000 kg	10 m	0.5 m	5 m ²	0.5 m ³




8004 NAVONA GREY
10m x 0.5m




8005 NAVONA GREY
10m x 0.5m




8006 NAVONA GREY
10m x 0.5m



8007 NAVONA GREY
10m x 0.5m





NAVONA




Modelo	Material	Color	Altura	Profundidad	Longitud
1001	Aluminio	Blanco	110	40	140
1002	Aluminio	Blanco	110	40	140




Modelo	Material	Color	Altura	Profundidad	Longitud
1009	Aluminio	Blanco	110	40	140
1010	Aluminio	Blanco	110	40	140





9001 SANTANA MIX GREY
15.5x10.5 cm




300 x 300

9002 SANTANA GREY
15.5x10.5 cm




300 x 300

9003 SANTANA GREY
15.5x10.5 cm



300 x 300

9004 SANTANA MIX GREY
15.5x10.5 cm



300 x 300

Color	Size	Area	Weight	Volume	Thickness
9001	15.5x10.5	161.025	1.80	0.0011	10.0
9002	15.5x10.5	161.025	1.80	0.0011	10.0
9003	15.5x10.5	161.025	1.80	0.0011	10.0
9004	15.5x10.5	161.025	1.80	0.0011	10.0



300 x 300

9005 SANTANA ANTIPIRACITE
15.5x10.5 cm



300 x 300

Color	Size	Area	Weight	Volume	Thickness
9005	15.5x10.5	161.025	1.80	0.0011	10.0
9006	15.5x10.5	161.025	1.80	0.0011	10.0
9007	15.5x10.5	161.025	1.80	0.0011	10.0
9008	15.5x10.5	161.025	1.80	0.0011	10.0

9006 SANTANA ANTIPIRACITE
15.5x10.5 cm




300 x 300

9007 SANTANA MIX ANTIPIRACITE
15.5x10.5 cm




300 x 300







8001 SAMOS BEIGE
15x24 cm




8002 SAMOS GREY
15x24 cm



8003 CASTRA BEIGE
15x24 cm




8004 CASTRA GREY
15x24 cm



Series	Year	Ref.
8001	2004	11


Series	Year	Ref.
8003	2004	11






SPARTA

800 SPARTA BROWN
14.5x14.5 cm



Color	Size	Shape	Weight	Thickness	Finish
1000000	11	11	45	1000000	1000000

800 SPARTA GREY
14.5x14.5 cm



800 SPARTA BROWN
20x20 cm




800 SPARTA GREY
20x20 cm




Color	Size	Shape	Weight	Thickness	Finish
1000000	11	11	45	1000000	1000000

800 SPARTA BROWN
14.5x14.5 cm



Color	Size	Shape	Weight	Thickness	Finish
1000000	11	11	45	1000000	1000000

800 SPARTA GREY
14.5x14.5 cm




800 SPARTA BROWN
20x20 cm




800 SPARTA GREY
20x20 cm



Color	Size	Shape	Weight	Thickness	Finish
1000000	11	11	45	1000000	1000000



PARIGA



8001 LEGO BRICK
18,400 x 10




8001 LEGO BRICK
18,400 x 10



8001 CORRAADO BRICK
18,400 x 10




8001 CORRAADO BRICK
18,400 x 10



8001 ROMANCO WHITE
18,400 x 10





8001 ROMANCO BROWN
18,400 x 10



Color	Size	Weight
White	10	11

Color	Size	Weight
White	10	11





3540
BRICK BEIGE
24x30 cm



8817
TERRAZZO BEIGE
24x30 cm



8541
BRICK DOTTED
24x30 cm



8516
TERRAZZO NOIR
24x30 cm



8538
BRICK GREY
24x30 cm



8205
MARBLE MIX
24x30 cm



Color	Size	Material	Weight	Price
3540	24x30	BRICK BEIGE	1.2	1.20
8817	24x30	TERRAZZO BEIGE	1.2	1.20
8541	24x30	BRICK DOTTED	1.2	1.20
8516	24x30	TERRAZZO NOIR	1.2	1.20
8538	24x30	BRICK GREY	1.2	1.20
8205	24x30	MARBLE MIX	1.2	1.20



7318
MOSAIC MIX
24x30 cm




8730
TERRAZZO GREY
24x30 cm



7350
MOSAIC GREY
24x30 cm



Color	Size	Material	Weight	Price
3540	24x30	BRICK BEIGE	1.2	1.20
8817	24x30	TERRAZZO BEIGE	1.2	1.20
8541	24x30	BRICK DOTTED	1.2	1.20
8516	24x30	TERRAZZO NOIR	1.2	1.20
8538	24x30	BRICK GREY	1.2	1.20
8205	24x30	MARBLE MIX	1.2	1.20
7318	24x30	MOSAIC MIX	1.2	1.20
8730	24x30	TERRAZZO GREY	1.2	1.20
7350	24x30	MOSAIC GREY	1.2	1.20






8875
COUNTRY BEIGE
45x45 cm



8875
COUNTRY BEIGE
45x45 cm



8875
COUNTRY BEIGE
45x45 cm



8876
COUNTRY GREY
45x45 cm



8876
COUNTRY GREY
45x45 cm



8876
COUNTRY GREY
45x45 cm



8881
PINK BEIGE
45x45 cm



8881
PINK BEIGE
45x45 cm



8881
PINK BEIGE
45x45 cm



8883
RED BROWN
45x45 cm



8883
RED BROWN
45x45 cm







8883
RED BROWN
45x45 cm



Stone	Type	Size
45x45	45x45	45x45

Stone	Type	Size	Color	Size	Color	Size	Color
45x45	45x45	45x45	45x45	45x45	45x45	45x45	45x45





Year	1990
Month	January
Day	15
Time	10:00 AM





WWW.KAI.BG

KAI
GROUP



ДЕКЛАРАЦИЯ ЗА ЕКСПЛУАТАЦИОННИ ПОКАЗАТЕЛИ № DPSTLWUG1002KATG

- Уникален идентификационен код на типа продукт: **DPSTLWUG1**
- Тип, партиден или серийен номер или друг елемент, който позволява да се идентифицира строителният продукт: **индивидуален елемент с ниска водопропускателност E20.5%, DPSTLWUG1002KATG; типична гранична грейд, негласирани**
- Предвидена употреба или употреби на строителния продукт в съответствие с приложените хармонизирани спецификации: **облицовка на извънни и вътрешни повърхности-под, стена директно извън облицовка**
- Име, регистрирано търговско наименование или регистрирана търговска марка и адрес за контакт на производителя: **KAI Group; "Кай Асперук" АД, Искърите, ул. "Ахилора" 1, България; Телефон: +35984312577; Факс: +35984313013; E-mail: info@kai.bg**
- Система или системи за оценяване и проверка на постигнатостта на експлоатационните показатели на строителния продукт: **Система 4**
- В случай на декларация за експлоатационни показатели относно строителен продукт, обхванат от хармонизиран стандарт: **БДС EN 14411:2013, Приложение 2A**
- Декларираните експлоатационни показатели

Съществени характеристики	Експлоатационни показатели	Хармонизирана техническа спецификация
Реакция на огън	Клас A1/A2	EN 13501-1:2013; Без изпитвания
Отделение на отделна облицовка: - изгаряе - димове	NR0 NR0	EN 14411:2013; EN ISO 10545-13
Разрушително натоварване: - облицовка: 2.5 MPa - облицовка: 2.5 MPa	2.5 MPa 2.5 MPa	EN 14411:2013; EN ISO 10545-4
Дълготрайност за: - външна употреба: - извън употреба: устойчивост на износване/разрушаване	Класификация Външна	EN 14411:2013; EN ISO 10545-13
Изпит на сцепление/адхезия: - изпитане на сцепление: - дълготрайност: - изпитане на сцепление: специално	10.5 N/mm ² 11.0 N/mm ² 11.0 N/mm ²	EN 14411:2013; - изпитане EN 12004:2007+A1:2013, 4.1 - изпитане EN 12004:2007+A1:2013, 4.2 - изпитане EN 12004:2007+A1:2013, 4.3
Покриваност/тачливост	NR0	EN 14411:2013; EN TS 15309
Препоръките	Съгласно техническите	EN 14411:2013; EN TS 15309

8. Експлоатационните показатели на продукта, посочени в точки 1 и 2, съответстват на декларираните експлоатационни показатели в точка 7.

Настоящата декларация за експлоатационни показатели се издава изцяло на отговорността на производителя, посочен в точка 4;

Подписано за и от името на производителя от:

Свес Улянов, Изпълнителен директор (име, длъжност)
Искърите, 01.07.2013г. (место и дата на подписване)



Declaration of performance ID DPCTLWUGL002KATG

1. Unique Product ID: **DPCTLWUGL**
2. The type, series or another identification code of the product that enables its unique identification: **ceramic tiles with lowwater absorption ≤0.5%, DPCTLWUGL002KATG; porcelain tiles, unglazed**
3. Intended use or uses of the construction product in accordance with the relevant harmonized technical specification: **external and internal surface finishing, floors, walls including stairs**
4. Name, registered trade name or registered trade mark and contact address of the manufacturer:
KAI Group
Khan Asparukh AD, Isperih, 1. April 1944 Str., Phone: +35984312377, Fax: +35984313813; E-mail: info@kai.bg
5. System(s) for assessing and verifying stability of performance of construction product: **System 1**
6. Where declaration of performance concerning a construction product covered by a harmonized standard:
ABS EN 14411:2013, Annex ZA
has authentic name and identification number of the notified body, if applicable)
7. Declared Properties

Unique Characteristics	Property	Harmonized technical Specification
Reaction to fire	Class A1a	EN 13501-1:2012 without burning
Release of hazardous substances - CO emission - Lead	NPD NPD	EN 14411:2013, EN ISO 10545-15
Breaking strength - thickness 27.5mm - thickness 27.5mm	≥ 3500N ≥ 3500N	EN 14411:2013, EN ISO 10545-4
Durability test - Internal wear - external impact (chips) and resistance	Pass Pass	EN 14411:2013, EN ISO 10545-17
Bond strength/adhesion - Cementitious adhesive - epoxy resin adhesive - Resin resin adhesive	≥ 0.5 N/mm² ≥ 1.5 N/mm² ≥ 2.0 N/mm²	EN 14411:2013 - according to EN 12004:2007+A1:2012, 4.1 - according to EN 12004:2007+A1:2012, 4.2 - according to EN 12004:2007+A1:2012, 4.3
Flexibility	NPD	EN 14411:2013, EN TS 15309
Slip-resistance	See Table	EN 14411:2013, EN TS 15309

8. Properties of the product listed in points 1 and 2 comply with the declared properties in point 7

This statement on the properties has been issued under full responsibility of a producer specified in point 4:

Signed for and on behalf of the

Spas Shopov, CEO (name, title)
Isperih, 01.07.2013r. (place, date)

ДЕКЛАРАЦИЯ ЗА ЕКСПЛУАТАЦИОННИ ПОКАЗАТЕЛИ № DPCTLYUG1006KATB

- Уникален идентификационен код на типа продукт: **DPCTLYUG1**
- Тип, партиден или сериен номер или друг елемент, който позволява да се идентифицира строителния продукт: **хармонични плочки с ниски водоотлъчващи свойства E≤0.5%, DPCTLYUG1006KATB; плочки транспортно-складирани.**
Търговско печатство по измислен път на прозрачността
- Предвидена употреба или употреби на строителния продукт в съответствие с приложимата хармонизирана спецификация: **облицовки на външни и вътрешни повърхности-стол, стени и изключително стъклени**
- Име, регистрирано търговско наименование или регистрирана търговска марка и адрес за контакт на производителя: **KAI Group**
"Хан Аспарух" АД, Истарак, ул. "Византия" 1, Бургаско. Телефон: +35984312577; Факс: +35984312613; Е-мил: info@kai.bg
- Система или системи за оценяване и проверка на постоянството на експлоатационните показатели на строителния продукт: **Система 4**
- В случай на декларация за експлоатационни показатели относно строителен продукт, обхванат от хармонизиран стандарт: **БДС EN 14411:2013, Приложение ZA, NS AC:01:2013**
на вярност (декларацията е издадена от нотифициран орган, или в приложение)
- Декларирани експлоатационни показатели


Свързани характеристики	Експлоатационни показатели	Хармонизирана техническа спецификация
Размери на плоча	Квад А10	EN 14411:2013 Без ограничения
Оформата на плочата облицовки - избор - форма	MPD MPD	EN 14411:2013, EN ISO 10545-15
Разрушително изтождаване механично 7.0mm - дължина 50mm	≥1300N ≥700N	EN 14411:2013, EN ISO 10545-1
Дълготрайност за: - външна употреба - външна употреба; устойчивост на замръзване/размръзване	Налична Налична	EN 14411:2013, EN ISO 10545-12
Висота на сепарация/дренеж - дренажен канал - дренажен канал - дренажът е изпитан в реални условия	≥0.8 N/mm ² ≥1.0 N/mm ² ≥2.0 N/mm ²	EN 14411:2013 - клас EN 12004:2007+A1:2009, A.1 - клас EN 12004:2007+A1:2009, A.2 - клас EN 12004:2007+A1:2009, A.3
Стойност/Тестиратост	MPD	EN 14411:2013, EN TS 12003
Примитивност	Всички изпитания	EN 14411:2013, EN TS 12003

8. Експлоатационните показатели на продукта, посочени в точки 1 и 2, съответстват на декларираните експлоатационни показатели в точка 7.

Настоящата декларация за експлоатационни показатели се издава изцяло на отговорността на производителя, посочен в точка 4.

Подписано за и от името на производителя от:

Силас Шотев, Изпълнителен директор (или заместник)
Истарак, 01.07.2013г. (името и дата на издаване)



Declaration of Performance № DPCTLWUG1006KATG

1. Unique Product ID: **DPCTLWUG1**
2. The type, series or another identification code of the product that enables its unique identification: **ceramic tiles with low water absorption $\leq 0.5\%$, DPCTLWUG1006KATG, porcelain tiles, unglazed. - Commercial quality by appearance of the surface**
3. Intended use or uses of the construction product in accordance with the relevant harmonized technical specification: **external and internal surface finishes, floors, walls including stairs**
4. Name, registered trade name or registered trade mark and contact address of the manufacturer:
**KAI Group;
Kien Aspbiruh AD, Isperth, 1 Ahinora Str., Phone: +359 043 12577, Fax: +359 043 12513; E-mail: info@kai.bg**
5. System(s) for assessing and verifying stability of performance of construction product: **System 4**
6. Where declaration of performance concerning a construction product covered by a harmonized standard:
BDS EN 14411:2013, Annex ZA, PT: AC.01:2013
not applicable (name and identification number of the notified body, if applicable)
7. Declared Properties

Basic Characteristics	Property	Harmonized Technical Specification
Reaction to fire	Class A1a	EN 14411:2013, without testing
Release of hazardous substances - cadmium - lead	NPB NPB	EN 14411:2013; EN ISO 10545-16
Bonding strength - external and internal - high and low stress	$\geq 1200N$ $\geq 750N$	EN 14411:2013; EN ISO 10545-4
Durability test - abrasion test - internal and freeze-thaw resistance	Pass Pass	EN 14411:2013; EN ISO 10545-12
Bond strength/adhesives - Cementitious adhesive - Dispersion adhesive - Resin adhesive	$\geq 0.8 N/mm^2$ $\geq 1.0 N/mm^2$ $\geq 0.8 N/mm^2$	EN 14411:2013 - according to EN 12004:2007+A1:2013, 4.1 - according to EN 12004:2007+A1:2013, 4.2 - according to EN 12004:2007+A1:2013, 4.3
Flexibility	NPB	EN 14411:2013; CRN TS 15308
Slip resistance	See Table	EN 14411:2013; CRN TS 15308


8. Properties of the product listed in points 1 and 2 comply with the declared properties in point 7.
This statement on the properties has been issued under full responsibility of a producer specified in point 4.

Signed for and on behalf of the manufacturer

Spas Shopov, CEO (name, title) ...
Isperth, 01.07.2013r. (date and place)

KRONOTEX


FLOORS FOR LIVING



Made in
Germany ■

100% KRONOTEX

COLLECTION 2015



KLEIN UMWELT (und)
GESUNDHEIT

KRONOTEX

FLOORS FOR LIVING

A floor is the foundation for every type of room design, and hence the basis for creating one's own sense of what life should be all about. For this purpose, Kronotex opens up a completely new world for you. Experience laminate floors which meet all demands, which feature unique aesthetics and top-class quality no limit to where your imagination can carry you!

Our Environmental Product Declaration	5	
Structures and surfaces	6	
Characteristics	7	
Product overview	8	
MAMMUT	AC5 12mm	10
ROBUSTO	AC5 12 mm	16
AMAZONE	AC5 10mm	20
EXQUISIT	AC4 8mm	24
GLAMOUR	AC4 Brown	30
MEGA	AC4 8mm	36
DYNAMIC	AC4 8mm	40
Online Floor Studio		49
Technical Information		50
Accessories		53
Presentation		56
Product specification		58
Quality on principle		59

KRONOTEX

FLOORS FOR LIVING



Our Environmental Product Declaration

In order for environmental product balance sheets to be meaningful, they must be objectively comparable. So to let our customers easily understand and contrast our life-cycle analyses and environmental product data with those of other materials, we have firmly committed ourselves to a policy of total product transparency. We openly and voluntarily communicate the ecological balance sheets of our wood-based products in our Environmental Product Declarations (EPDs). Each EPD is issued by the Institute Construction and Environment e.V. (IBU) in a format which was developed on the basis of internationally valid ISO standards in close collaboration with building and environmental authorities in Germany.

We stand for ecology

The only way to master major challenges is for all players to pull on one rope. One of the biggest and most urgent tasks facing humanity today is to protect the environment. 'Together we are strong!' – this statement also applies to achieving the sustainability goals we have set ourselves. All of our staff are involved in protecting the environment on a day-to-day basis. Each and every one of them is appropriately informed, instructed and trained. This ensures that every department has the environmental expertise it requires.

We use our management for the earth programme to raise the level of environmental awareness in the entire KRONO team. Our environmental management efforts focus on achieving the eco-efficiency defined in our corporate objectives. Every product that leaves our factory must exhibit both excellent price/performance and superb environmental compatibility. This starts with the exclusive use of legal certified raw materials from sustainably managed forests, continues with rigorously monitored production, and is also ensured during subsequent utilisation and ultimate disposal of our products.

We have big plans

We have a clearly defined goal: we want you, us and future generations to be able to enjoy living in good health on our unique blue planet tomorrow as well. We are therefore continuing to develop eco-friendly wood-based materials which are healthy for you and the environment alike. Right now we are preparing EPDs for all of our Kronotex laminate floorings to facilitate direct comparison and checking of their environmental benefits.

Has our environmental commitment piqued your curiosity? We'll be happy to answer your questions. Simply e-mail us at sales.floor@kronotex.de




Our Environmental Product Declarations (EPDs) are globally acknowledged and are conforming to ISO 14040

Made in
Germany



Surfaces



Characteristics



Kronotex floors are low-maintenance and hand-wearing.



Kronotex floors are flame resistant.



Kronotex floors are largely resistant to cigarette burns.



Kronotex floors are non-fading and retain their brilliance over many years.



Kronotex floors are rugged, load and impact-resistant.



Kronotex floors are abrasion-resistant.



Kronotex floors are produced from natural sustainable raw materials.



Kronotex floors are comfortable underfoot.



Kronotex floors are well suited for installation over subfloor heating.



Kronotex floors are stain-resistant.

Individual features



These panels feature a 45° sloped edge. When they are joined together, a V-groove forms, producing a natural soft transition V2 – on the long side V4 – all the way round



"Endless Elegance" – joints a




antistatic



high gloss surface

MAMMUT



COMMERCIAL 33 AC 5

PANEL 1845 x 188 x 12mm
BOX 4 panels | 1,367 m²
PALLET 56 boxes | 77,697 m²

12
mm



ROBUSTO



COMMERCIAL 33 AC 5

PANEL 1375 x 188 x 12mm
BOX 5 panels | 1,293 m²
PALLET 56 boxes | 72,36 m²

12
mm



AMAZONE



COMMERCIAL 33 AC 5

PANEL 1360 x 157 x 10mm
BOX 6 panels | 1,30 m²
PALLET 40 boxes | 52,00 m²

10
mm



EXQUISIT



COMMERCIAL 32 AC 4

PANEL 1360 x 153 x 8mm
BOX 8 panels | 2,131 m²
PALLET 56 boxes | 119,12 m²

8
mm



*PANEL 1360 x 246 x 8mm
BOX 8 panels | 2,694 m²
PALLET 42 boxes | 113,13 m²

GLAMOUR

ABRASION CLASS AC 4

PANEL 644 x 310 x 8 mm

BOX 10 panels | 1,996 m²

PALLET 42 boxes | 83,849 m²



PANEL 1376 x 193 x 8 mm

BOX 8 panels | 2,125 m²

PALLET 32 boxes | 68,000 m²



PANEL 1295 x 310 x 8 mm

BOX 6 panels | 2,409 m²

PALLET 36 boxes | 86,724 m²

MEGA

COMMERCIAL 32 AC 4



PANEL 1302 x 336 x 8 mm

BOX 5 panels | 2,122 m²

PALLET 45 boxes | 95,502 m²

DYNAMIC

COMMERCIAL 32 AC 4



PANEL 1380 x 193 x 8 mm

BOX 8 panels | 2,131 m²

PALLET 56 boxes | 119,328 m²




MAMMUT



KRONOTEX.COM

KRONOTEX
FLOORS FOR LIVING

TOWN OAK MATLUM D3552



TOWER OAK NATURAL 3565




MAMMUT

USE CLASS 33 | ACS

PANEL: 1845 x 166 x 12 mm
BOX 4 panels: 1,367 m²
PALETTE 56 boxes: 77,667 m²

For many the best is just about good enough. And if you are well, then there is only one floor for you: MAMMUT from Kronotex. It combines the best features of ROBUSTO, DYNAMIC and EXQUISIT, and is thus the absolute Nonplus-ultra of laminate floors. Whether used universally, for extremely heavy loads or to create a sophisticated and natural look, MAMMUT is a floor which can meet all requirements. The panels are extra hard, extra long and, what's more, extra practical. An outstanding feature of the patterns and hues is their country cottage character and the fascinating, authentic natural wood look.





TOWER OAK NATUM D3565



USE CLASS 33 | ACS

MAM

PANEL 1845 x 780 x 12 mm
BOX 4 panels | 1,387 m²
PALLET 36 boxes | 77,697 m²

12
700

V4

Hand icon

Head icon

Adic icon

ROBUSTO


— KRONOTEX.COM —





KRONOTEX
FLOORS FOR LIVING

TIMELESS OAK D3890



TIMELESS OAK D 3590



WALNUT D 2775
1-STRIP | MX | VA



CAPITAL OAK D 7994
1-STRIP | MX | VA



SAVERNE OAK D 3016
1-STRIP | MX | VA




RIP OAK WALNUT D 3180
1-STRIP | MX | VA



CAPITAL OAK LIGHT D 2800
1-STRIP | MX | VA



PHALSB



RIP C





ROBUSTO

USE CLASS 33 | AC5


PANEL: 1375 x 188 x 12 mm
BOX: 5 panels | 1,253 m²
PALLET: 56 boxes | 72,36 m²

There are situations in life where one needs a thick skin. Where one is tough. Which is why **ROBUSTO** is also the perfect floor for extremely heavy traffic. 12-mm thick fibreboard and an especially wear-resistant surface. Much anything to which it is exposed. Even if used for commercial purposes. Its CLIC tongue-and-groove connection system will never disappoint in any situation as it was specially developed to hold up under the highest pressure.



AMAZONE


KRONOTEX.COM



KRONOTEX
FLOORS FOR LIVING

HAARBOUR QUALITY D3572

MARQUE OAK GREY D3572





AMAZONE

USE CLASS 33 | AC 5
 PANEL 1380 x 157 x 10 mm
 BOX 6 panels | 1,30 m²
 PALLET 40 boxes | 52,00 m²

Be graceful. Prove style. With **AMAZONE**, the floor for everyone who appreciates the exclusive and the extraordinary. It combines conventional beauty with individual fashioning opportunities, and thus lends that special something to every setting. **AMAZONE** floorings are narrow and long, which creates a particularly graceful look. This also helps create the most fascinating of patterns. Whether you are aiming at a systematic, individual or absolutely noble look, this floor can be fashioned to meet all your ideas with its sophisticated patterns and hues.



Exquisite


KRONOTEX.COM


KRONOTEX

FLOORS FOR LIVING

PALLAS OAK D3586

PALLAS OAK D 3586





USE CLASS 32 | AC 4

PANEL 1360 x 193 x 8mm
BOX 8 panels | 2,131 m²
PALLET 56 boxes | 119,32 m²

*PANEL 1380 x 244 x 8mm
BOX 8 panels | 2,694 m²
PALLET 42 boxes | 113,136 m²

EXQUISIT

EXQUISIT is a floor which is as noble and natural as wood, and comfort and is as pleasant to walk upon as solid wood. The matt surface shimmer give it an authentic structure and create a warm, natural atmosphere. And the carefully milled V-groove also contributes to the typical, representative floorboard look.







USE CLASS 32 | AC4

PANEL 1380 x 193 x 6 mm

BOX 8 panels | 2131 m²

PALLET 56 boxes | 119,32 m²

*PANEL 1380 x 244 x 8 mm

BOX 8 panels | 2694 m²

PALLET 42 boxes | 113,16 m²

EXQU



GLAMOUR

KRONOTEX.COM



KRONOTEX

FLOORS FOR LIVING




GRIZZLY SLATE DART




CARBON DART
NATURAL STONE FORMAT 115x115



BOTTICINO CLASSICA DART
NATURAL STONE FORMAT 115x115





GLAMOUR

ABRASION CLASS AC4

PANEL 644 x 310 x 8mm
BOX 10 panels | 1,996m²
PALLET 42 boxes | 83,949 m²

A floor unlike any you have ever seen before – one white and fascination. A highly-elegant look, a compelling effect, a sophisticated design. GLAMOUR cannot fail to impress with its sophisticated, highly exclusive look as well as with its typical Kronotex usage properties. But this is only to be expected! This floor has been coated with several layers of extremely hard wearing lacquer and designed for a wide variety of uses. And it offers all the guarantees for demanding usage with a high level of comfort and universal safety.



Can be supplied ex stock in EALODON wrapping.



ABRASION CLASS AC4

GLAMOUR

PANEL 644 x 310 x 8 mm
BOX 10 panels | 1,996 m²
PALLET 42 boxes | 83,892 m²



Can be supplied ex stock in FALQUON wrapping.




ABRASION CLASS AC4

GLAMOUR

PANEL 1225 x 310 x 8 mm
BOX 6 panels | 2,409 m²
PALLET 36 boxes | 86,724 m²



Can be supplied ex stock in FALQUON wrapping.



ABRASION CLASS AC 4

GLAMOUR

PLATEAU 1376 x 198 x 8 mm

BOX 8 panels | 2125 m²

PALLET 32 boxes | 68,00 m²



Can be supplied ex stock in PALQUON wrapping.


MEGA

KRONOTEX.COM






KRONOTEX
FLOORS FOR LIVING



SPILT OAK D 3232


3. széria D 2805
NATURAL STONE FORMAT XL 151164

NATURAL STONE



NATURAL STONE

NATURAL STONE FORMAT XL 151164
NÁZÁK D 3100



MEGA

USE CLASS 32 / AC4

PANEL 1302 x 325 x 8 mm
BOX 5 panels | 2,122 m²
PALLET 45 boxes | 95,503 m²

Don't even think of letting the small things hold you back. Clear stone merits that count, so grab the bull by the horns. Friendly installation in spacious areas. It is the XXL-version of Kronotex floors but also shows an abundance of feeling and versatility. Traditional, highly-aesthetic patterns and hues and fascinating design ideas. MEGA is the well-shaped floor for every occasion.




DYNAMIC




KRONOTEX.COM



KRONOTEX
FLOORS FOR LIVING



BLOCK WOOD P3545



DYNAMIC

USE CLASS 32 | AC4

PANEL 1380 x 193 x 8mm

BOX 8 panels | 2,137 m²

PALLET 56 boxes | 119,32 m²

DYNAMIC A floor with which you can express your entire individuality is extremely resilient and, above all else, offers a unique variety of DYNAMIC the perfect floor for your ideas. Develop your full potential and want to live it. And if you want, your DYNAMIC floor can move around with you. It can be easily removed and re-installed somewhere else – even in medium used commercial areas.

